

Walker #11

2m: SINK  
4m: W1

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Joe Fallier Address P O Box 1621 Bellaire Tx 77401  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: Walker 16 miles in W direction from Huntsville  
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. on 60-13-4

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check): ☐ Driven  
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Other \_\_\_\_\_

6) WELL LOG:

Date Drilling: 8/8 86  
Started 8/9 86  
Completed \_\_\_\_\_

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 592

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From To Description and color of formation material  
(ft.) (ft.)

0-4	Top soil
4-19	Brown clay
19-24	Blue clay
24-44	Brown & blue clay
44-54	Blue clay
54-74	Sand
74-92	Blue clay
92-107	Sand
107-140	Blue clay
140-149	Sand
149-204	Brown clay
204-224	Blue clay
224-241	Sandy blue clay
244-264	Blue clay
264-284	Sandy blue clay
284-352	Blue clay
352-361	Rock
361-364	Hard blue clay
364-494	Blue clay
494-495	Rock
495-575	Blue clay
575-586	Sand
586-592	Blue clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	573	40
2 1/2	N	Stainless steel	576	586	8

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 573 ft. to 473 ft. No. of Sacks Used 6  
10 ft. to 0 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Holly Water Well

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 52 ft. below land surface Date 8-15-86  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type	Depth
Lead	568

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 11 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only  
Well No. 60-18-1  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ralph Stenzel Address P.O. Box 125 Santa Fe, TX 77510  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County WALKER 16 miles in N direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-13-6J

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 7-22-85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	<u>Surface</u>	<u>75</u>

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0-2	Top soil						
2-10	Brown clay						
10-18	Rock streaks		4	N	Plastic	-1 1/2 63	40
18-30	Blue clay						
30-42	Brown clay		2 1/2	N	PVC Undercut	74 64	#12
42-52	Lignite						
52-58	Blue clay						
58-75	Sand						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 20 ft.  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used Pressure  
Cemented by Henry Lee

10) SURFACE COMPLETION  
☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth  
LEAD 59

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Sulfur Depth of strata 17 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS (Huntsville) Rt. 11 Box 607 Huntsville TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Stenzel (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-18-1C  
Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Wiley Le Brun (Name) Address Bedias Texas (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker miles in \_\_\_\_\_ direction from \_\_\_\_\_ (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
W-2 ☒ See attached map. mapon 60-18-4c

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG: Date drilled 7-84  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface 6 0 310  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed ☒ Gravel Packed ☒ Other 2-STRING  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
		<u>0-38 sur, clay, sand &amp; shale</u>						
		<u>38-60 clay &amp; br sand</u>						
		<u>60-83 shale &amp; clay, lignite</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>300</u>	
		<u>83-105 clay &amp; lignite</u>						
		<u>105-128 clay &amp; br sand</u>	<u>3 1/2</u>	<u>N</u>	<u>PVC</u>	<u>303</u>	<u>318</u>	<u>.012</u>
		<u>128-161 Clay 160-161 ROCK</u>			<u>15' on 25'</u>			
		<u>161-184 sand</u>						
		<u>184-194 clay</u>						
		<u>194-208 br sand</u>						
		<u>208-219 shale</u>						
		<u>219-264 shale &amp; clay</u>						
		<u>264-279 shale</u>						
		<u>279-286 broken</u>						
		<u>286-296 clay</u>						
		<u>296-318 sand</u>						

CEMENTING DATA  
Cemented from 0 ft. to 300 ft.  
Method used Pressure  
Cemented by Falkenburg Drilling Co (Company or Individual)

9) WATER LEVEL:  
Static level 73 ft. below land surface Date 7-84  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

RECEIVED  
SEP-5 1984

DEPT. OF  
WATER RESOURCES  
(Use reverse side if necessary)

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☐ No

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120' ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Falkenburg Drilling Co (Type or Print) Water Well Driller's License No. 1787  
ADDRESS P.O. Box 668 (Street or R.F.D.) NAVASOTA (City) TEXAS (State) 77868 (Zip)  
(Signed) J. T. Falkenburg (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TDWR use only  
Well No. 60-18-18  
Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-18-1A  
Located on map YES  
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Morris Garris (Name) Address B-1 Berlin (City) (State) (Zip)

2) LOCATION OF WELL: County Walker miles in direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

See attached map. W-1

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 6-80

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface 6 0 450

7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☒ Other  
If Gravel Packed give interval . . . from ft. to ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen  
0-38 sur clay, shale, sand 4 N 310' PVC 0 310  
38-83 shale 2 1/2 N PVC screen 310 325 012  
83-105 w/ sand & shale  
105-151 shale hard  
151-217 shale w/ breaks hard  
217-240 shale  
240-262 shale & clay  
262-284 w/ sand  
284-307 shale & clay  
307-329 w/ sand  
329-396 shale  
396-419 shale & clay (broken)  
419-441 shale & clay  
441-450 shale  
15' on 32' w/ 5' Blk on bottom

CEMENTING DATA  
Cemented from 80 ft. to 310 ft.  
Method used  
Cemented by Finkenbury Drilling Co. (Company or Individual)

9) WATER LEVEL:  
Static level 97 ft. below land surface Date 6-80  
Artesian flow gpm. Date

RECEIVED  
APR 6 1982  
CR/TDWR

10) PACKERS: Type Depth

(Use reverse side if necessary)

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., 200' ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: gpm with ft. drawdown after hrs.


13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Depth of strata  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME Zac H. Finkenbury Water Well Drillers Registration No. 1787  
ADDRESS P.O. Box 668 NAWASOTA TEXAS 77868  
(Signed) J. H. Finkenbury (Water Well Driller) Finkenbury Drilling Co. (Company Name)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY



RECEIVED  
OCT 21 1990  
DEPT. OF  
WATER RESOURCES



#41 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Morris Farris (Name) Address 1731 FM 1960 East, Humble, TX 77338 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 16 miles in West direction from Huntsville (N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. Block No. Township  
Abstract No. Survey Name  
Distance and direction from two intersecting section or survey lines

☒ See attached map. Map on 60-13-42

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:  
Date drilled 10-31-84

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
11 1/2 Surface 82

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from ft. to ft.

From (ft.) To (ft.) Description and color of formation material

0-2 Top soil  
2-18 Brown clay  
18-22 Sand  
22-29 Brown clay  
29-52 Blue clay  
52-72 Brown clay and lignite  
72-82 Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen  
4 N Plastic -1 1/2 72 40  
2 1/2 N Gravel packed 82 72 #30

CEMENTING DATA  
Cemented from 15 ft. to surface ft.  
Method used From the top  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level 47 ft. below land surface Date 11-01-84  
Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other  
Depth to pump bowls, cylinder, jet, etc., 78 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER" 10 Ft.  
Type of water? Good Depth of strata  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)  
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] (Signed) [Signature]  
(Licensed Water Well Driller) (Registered Driller Trainee)  
Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TDWR use only  
Well No. 60-18-1A  
Located on map Yes DCF

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).